

Bureau of Health Care Quality and Compliance

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>NVS5080AGC</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____	(X3) DATE SURVEY COMPLETED  <b>04/08/2010</b>
NAME OF PROVIDER OR SUPPLIER  <b>A NEU BEGINNING RESIDENTIAL CARE</b>		STREET ADDRESS, CITY, STATE, ZIP CODE <b>1900 ELIMINATOR DR LAS VEGAS, NV 89146</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE
Y 000	Initial Comments  The findings and conclusions of any investigation by the Health Division shall not be construed as prohibiting any criminal or civil investigations, actions or other claims for relief that may be available to any party under applicable federal, state, or local laws.  This Statement of Deficiencies was generated as a result of an annual State Licensure survey conducted in your facility on 4/8/10. This State Licensure survey was conducted by the authority of NRS 449.150, Powers of the Health Division.  The facility is licensed for 10 Residential Facility for Group beds for elderly and disabled person and/or persons with mental illness and chronic illness. The census at the time of the survey was 10. Ten resident files were reviewed and six employee files were reviewed. One discharged resident file was reviewed.  The facility received a grade of A.  The following deficiencies were identified:	Y 000		
Y 103 SS=E	449.200(1)(d) Personnel File - NAC 441A / Tuberculosis  NAC 449.200 1. Except as otherwise provided in subsection 2, a separate personnel file must be kept for each member of the staff of a facility and must include: (d) The health certificates required pursuant to chapter 441A of NAC for the employee.	Y 103		

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.

TITLE

(X6) DATE

LABORATORY DIRECTOR'S OR PROVIDER/SUPPLIER REPRESENTATIVE'S SIGNATURE

Bureau of Health Care Quality and Compliance

STATEMENT OF DEFICIENCIES AND PLAN OF CORRECTION		(X1) PROVIDER/SUPPLIER/CLIA IDENTIFICATION NUMBER:  <b>NVS5080AGC</b>	(X2) MULTIPLE CONSTRUCTION A. BUILDING _____ B. WING _____		(X3) DATE SURVEY COMPLETED  <b>04/08/2010</b>
NAME OF PROVIDER OR SUPPLIER  <b>A NEU BEGINNING RESIDENTIAL CARE</b>			STREET ADDRESS, CITY, STATE, ZIP CODE <b>1900 ELIMINATOR DR LAS VEGAS, NV 89146</b>		
(X4) ID PREFIX TAG	SUMMARY STATEMENT OF DEFICIENCIES (EACH DEFICIENCY MUST BE PRECEDED BY FULL REGULATORY OR LSC IDENTIFYING INFORMATION)	ID PREFIX TAG	PROVIDER'S PLAN OF CORRECTION (EACH CORRECTIVE ACTION SHOULD BE CROSS-REFERENCED TO THE APPROPRIATE DEFICIENCY)	(X5) COMPLETE DATE	
Y 103	<p>Continued From page 1</p> <p>This Regulation is not met as evidenced by: Based on record review on 4/8/10, the facility failed to ensure 2 of 6 employees complied with NAC 441A.375 regarding tuberculosis (TB) testing for the protection of all residents (Employee #5 and #6 did not have proof of pre-employment physical).</p> <p>This was a repeat deficiency from the 4/2/09 State Licensure survey.</p> <p>Severity: 2 Scope: 3</p>	Y 103			

If deficiencies are cited, an approved plan of correction must be returned within 10 days after receipt of this statement of deficiencies.